READ LEAFLET BEFORE USE.

उपयोग से पहले संलग्न लीफलेट पढें

Fluxametamide 10% w/w EC Insecticide

Chemical Composition: Contents % w/w: Fluxametamide a.i.: 10.00% w/w, 3-methoxy-N, Nchemical Composition: Contents % W/W: Fluxametamide al.,1: 10.00% w/W, 3-metroxy-1, N-dimethylpropionamide: 40.00% w/w, Polyoxyethylene alkylphenyl ether, Alkylarylsulfonate: 5.00% w/w, Aromatic Solvent (C10 – C13): QS% w/w, Total: 100.00% w/w. Crop & Pest Groups: Fluxametamide 10% w/w EC is a novel Isoxazoline insecticide effective against a cross spectrum of chewing and sucking pests. It is a gamma-aminobutyric acid (GABA) - gated chloride channels (GABACIs) antagonist. It is contact insecticide and effective through ingestion and contact. Purpose: For agricultural use. Re-entry Period: 24 Hrs. Dosages, Direction For Use & Manner and Time of Application: Please refer to leaflet for details. Safety Precautions: Keep away from foodstuffs, empty foodstuff containers and application for the work and spike with well in ability the insecticide server with West full. to learlet for details. Safety Precautions: keep away from footscuttis, empty rootscutt containers and animals feed. Avoid contact with mouth, eyes, and skin. Avoid inhaling the insecticide spray mist. Wear full protective clothing, while handling. Wash thoroughly the contaminated clothes and body parts after handling. Do not eat, drink or smoke while applying. Symptoms of poisoning: Vomiting, Decreased appetite, Itching, Diarrhea, Excessive thirst, Lethargy, Muscle Tremors and mild Ataxia like symptoms may occur. First Aid: Inhalation: Remove casualty for fresh air and keep at rest. Take the person to fresh air and take care of body temperature. If person is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician. Skin Contact: Wash thoroughly the affected part of body with season of leath of water including bairs and under finnershils. If thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. Eye Contact: In case of contact with eyes, rinse immediately with plenty of water at least for 15 minutes. If eye irritation, pain, redness or eyes, rinse immediately with pienty of water at least for 15 minutes. If eye irritation, pain, redniess or persist get medical advice. Ingestion: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor and show this container or label. Do not induce vomiting until and unless desired by attending physician. Antidote: Treat based on judgment by physician in response to symptoms of patient. No specific antidote is known, treat symptomatically. Cautionary Statement: Not to be used on crops other than mentioned on this label/leaflets. Not to be used for post-harvest applications, Hazards to humans and domestic animals. Destroy the container after use as directed on leaflet. This product is very toxic to aquatic aminias. Destroy the Container arter use as directed on leanet. This product is very taxic to adjustic invertebrates and fishes, thus the product containing the molecule may be avoided near the adjustic invertebrates and fishes, thus the product containing the molecule may be avoided near the adjustic (1036119) Japan. Supplied by: M/s Nissei Corporation, 5-1, Nihonbashi, 2-Chome, Chuo-Ku, 70kyo 1030023, Japan. Imported, Repacked & Marketed by: Godrej Agrovet Limited, Regd. Office: Godrej One, 3rd Floor, Pirojshanagar, Eastern Express Highway, Vikhroli (East), Mumbai-400079, Maharashtra, India. Factory: Lane No, 7, Indi. Growth Centre, Samba, Jammu-184121, J&K, India.

ग्रासिया फ्लुक्सामेटामाईड १०% भा. / भा. ई.सी.

रसायनिक सरंचनाः घटक % भा.भा.:फलुक्सामेटामाईड स.त :१०.००% भा/भा, ३-मेथोक्सी - एन, एन - डाईमिथाईल प्रोपषिओनमाईड :४०.००%मा/मा, पोलोक्सीइथाइलीन अल्काईफिनाइल ईथर अलकाईनआराईलसफोनेट:५.००%मा/भा, ३-मेथोक्सी - एन, एन -डाईमिथाईलप्रोपिओनमाईड :४०.००%भा/भा, रोमेटिक सोलवेंट (सी१७ - सी१३) : प्रायप्त मात्रा%भा/भा, कुल :१००.००%भा/भा. **फसल और कीट** समूह: फ्लूक्सामेटामाईंड १०% भा/ भा ई.सी. एक अनुठा इसोक्साजोलाइन कीटनाशक है जो चबाने एवं चूसने वाले कीटों के प्रति प्रभावी है। यह एमिनों ब्यूटारिक एसिड (GABA) एवं ग्लूटामेट गेटेड क्लोराइड चेनेल्स (GABACIS) का एक प्रतिपक्षि है। यह एक स्पर्शीय कीट नाशक है जो उदर विष व स्पर्श प्रभाव से असर करता है। प्रयोजन: कृषि उपयोग के लिए। पुनः प्रविष्टि: २४ घंटे। उपयोग एवं रीति के लिए खुराक, दिशा निर्देश, अनुप्रयोग का समयः कृपया विवरण के लिए लीफलेट का संदर्भ लें। सुरक्षा सावधानियाँ: खाधसामग्री, खाध सामग्री के खाली बर्तनो और पशुओं के चारे से दूर रखें।मुँह, त्वचा और आंखों के सम्पार्क से बचाये। छिड़काव की वाष्प को सांस द्वारा अन्दर जाने से बचाये। छिड़काव के बाद दूषित कपड़ो और शरीर के अंगो को अच्छी तरह धोएं। छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए। छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपडे पहने। विषाक्तितकरण के लक्षण: उल्टी, भूख में कमी, खुजली, दस्त, अत्यधिक प्यास, सुस्ती, मांसपेशियों में कंपन और हल्का गतिभंग जैसे लक्षण हो सकते है। प्राथमिक चिकित्साः सुंघे जाने पर: व्यक्ति को ताजी हवा में ले जाये, आराम करायें और शरीर के तापमान का ध्यान रखें। यदि व्यक्ति संस न ले पा रहा हो या संस लेने मे परेशानी हो तो मुंह से कृत्रिम श्वास दे। चिकित्सक की सलाह ले। त्वचा के सम्पर्क मे आने पर: बालों और नाखूनों की जड़ो सहित शरीर के प्रभावित हिस्सों को साबून एवं पानी से अच्छी तरह धोयें। यदि कपड़े एवं त्वचा हो जाये तो दिषत कपड़ो को अलग करें एवं दिषत त्वचा को साबून एवं पानी से अच्छी तरह धोयें। यदि त्वचा मे जलन या लालिमा हो तो चिकित्सक की सलाह ले। आंखों के सम्पर्क मे आने पर: काफी मात्रा मे पानी से कम से कम १५ मिनट आखों को धोयें। यदि दर्द, जलन, खुजली, लालिमा या फोटोफ़ोबिया जारी रहे तो चिकित्सक की सलाह ले। **निगले जाने पर**ः यदि व्यक्ति होश मैं और सजग हो पानी से मुहँ में कुल्ला करायें और 9 या २ गिलास पानी पीने के लिये दें। बेहोश व्यक्ति को मुंह से कुच्छ भी न दें। चिकित्सक को बुलायें और कीट नाशक का डिब्बा या लेबल को दिखायें। चिकित्सक के कहे बिना उल्टी न कराएं। **प्रतिकारक**: चिकित्सक रोगी के लक्षणों के आधार पर उपचार का निर्णय लें। कोई विशिष्ट विषनाशक नहीं। **सावधानी कथन:** कीटनाशक का प्रयोग केवल इस पत्रिका में निर्देशित फसलों के अलावा अन्य फसलों पर न करें। फसल–कटाई के उपरांत अनुप्रयोग हेतु उपयोगी नहीं। मनुष्य और घरेलू पशुओं के लिए खतरनाक है। पत्रक के निर्देशानुसार उपयोग के पश्चात आद्यान को नष्ट करें। इस उत्पाद से त्वचा और आंखों मे ओसत दर्जेकी जलन होती है। यह उत्पाद जलीय अकशेरूकीय और मछलियों के लिए बहुत विषेला है. मत्स्य पालन के आस पास इस का उपयोग नहीं करना चाहिए। **निर्माता : मे. निसान केमिकल कॉरपोरेशन**, ५–१ निहोनबासी २ चौम, चाऊँ–कू, टोक्यो १०३– ६११९ जापान उपलब्धकर्ता: मे. निस्ये कॉरपोरेशन, निहोनबासी – होंचो, १ चौम, चाऊ-कु, टोक्यो १०३-००२३ जापान आयातकर्ता, पुर्नपेकिंगकर्ता एवं विपणनकर्ता : गोवरेज एग्रोवेट लिमिटेड, रजि. ऑफिस: गोवरेज वन, तीसरी मंजिल, पिरोजशाह नगर, इर्स्टन एक्सप्रेस हाइवे, विक्रोली (पू.), मुंबई – ४०० ०७९, महाराष्ट्र , इंडिया। फेक्ट्री : लेन नं. ७, इंडस्ट्रीयल ग्रोथ सेन्टर, सांम्बा, जम्मू – १८४१२१, जम्मू एण्ड कश्मीर , इंडिया।

In case of complaints, please contact our customer service executive at the Registered Office address of the Marketer or email at gavlho@godrejagrovet.com or call us at 022 -2519 4491.











Children

Keep in cool

and dry place

or open flame.



बच्चों की पहँच से दूर रखें।

सुखी और ठंडी जगह पर आग से दूर रखें।

Net Content शुद्ध मात्रा

1 L

Regn. No./रजि नं:: CIR-15277/2021(434)-Fluxametamide (EC)-2

Mfg. Lic. No. /ਚ.ला. नं∴ J/M- Pvt/25

Batch No./बैच नं.

Mfg.Date/निमार्ण तिथि

Expiry Date/अन्तिम तिथि:

Max. Retail Price: ₹ (incl. of all taxes)/ अधिकतम खुदरा मूल्य रु. (सभी करों सहित) Unit sale price same as MRP युनिट बिक्री मुल्य एमआरपी के समान

52mm x 40mm





1 L / १ लीटर

Size: 278 mm (W) X 157 mm (H)

PDP: 174.5 Sq.cm = 2.5 mm



PANTONE 2607 C